

PRODUCT DATA SHEET

August 22, 2012

375 Stewart Road, Hanover Twp., PA 18706 | P: (570)822-1151 | F: (570)823-1910

NOTE: The information in this publication is the result of careful testing in our laboratories, complemented by selected literature. It does not in any way constitute a guarantee, nor widely varying conditions of product use, which are beyond our control, it is strongly recommended that the product be tested for suit ability. Product typical this publication are current as of November 24, 2010.

VACUUM PUMP LUBRICANT

ALTO SYN VL



GENERAL DESCRIPTION

ALTO SYN VL lubricants are formulated from vacuum distilled, ultra-pure synthetic hydrocarbon base stock to provide an extremely low vapor pressure vacuum pump lubricant. These non-foaming fluids have excellent water separation and provide protection against wear, rust and corrosion. ALTO SYN VL lubricants are an extended life lubricant designed to function in applications subject to severe temperature and environmental conditions.

Physical Properties

ALTO SYN VL	15	22	32	46	68	100
ISO Grade	15	22	32	46	68	100
Viscosity						
@ 40°C, cSt	15.2	21.2	29.9	43.2	63.7	93.0
@ 100°C, cSt	3.54	4.51	5.70	7.31	9.60	12.5
@ 100°F, SUS	83.2	110	154	221	327	482
@ 210°F, SUS	38.2	41.4	45.3	50.7	58.7	69.8
Viscosity Index	113	129	134	133	132	130
Pour Point, °F (°C)	-70 (-57)	-80 (-62)	-80 (-62)	-38 -39	-44 (-42)	-40 (-40)
Flash Point, °F (°C)	415 (213)	430 (221)	490 (254)	505 (263)	520 (271)	510 (266)
Autoignition Point	710 (377)	720 (382)	730 (387)	740 (393)	745 (396)	760 (404)
Copper Strip Corrosion	1A	1A	1A	1A	1A	1A
Emulsion Tendency	40/40/0 (10 mins.)	40/40/0 (10 mins.)	40/40/0 10 mins.	40/40/0 10 mins.	40/40/0 (10 mins.)	40/39/0 (15 mins.)
Vapor Pressure, mm Hg. (Modified ARS 184-R1)						
100°F	<0.00047	<0.00040	<0.00030	<0.00020	<0.00010	<0.00004
200°F	<0.00101	<0.00080	<0.00062	<0.00056	<0.00050	<0.00018
300°F	<0.00190	<0.00170	<0.00160	<0.00145	<0.00130	<0.00085


 Petroleum Service Company
 375 Stewart Road, Hanover Twp., PA 18706
 Phone: (570)822-1151 • Fax: (570)823-1910