

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 4

Revision Date 7/30/2015 **Supersedes Date** 6/1/2015

SECTION 1. IDENTIFICATION

Product identifier: JAX FGG-AW ISO 150, 220, 320, 460

FGGOM; FGGON; FGGOQ Part number:

Identified uses: Lubricant where there may be incidental food contact

Uses advised against: Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

IAX INC. Supplier:

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

Email contact: info@jax.com

Non-emergency

Phone: 262-781-8850 Fax: 262-781-3906

contact:

INFOTRAC: **Emergency telephone:**

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

SECTION 2. HAZARD(S) IDENTIFICATION

Classification: This product is not classified as hazardous according to OSHA Hazard Communication Standard (HCS) 29 CFR 1910.1200.

Label elements

Pictograms: Not applicable

Signal word: Not applicable **Hazard statements:** Not applicable Precautionary Not applicable statements:

Hazards not otherwise Not determined

classified:

Additional information: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition: CAS# **Impurities Chemical name** <u>%</u>

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based* 60-90 72623-86-0 None

SECTION 4. FIRST-AID MEASURES

First aid measures

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation Eye contact:

persists, consult a physician.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important No further relevant information available.

symptoms and effects, both acute and delayed:

No further relevant information available. **Indication of any** immediate medical

attention and special treatment available:

General information: No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

Revision Date Supersedes Date

Page 2 of 4

7/30/2015 6/1/2015

media: used to keep fire-exposed containers cool.

Unsuitable

Do not use direct stream of water.

extinguishing media:

Specific hazards: Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters: Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

spaces or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep

 $away\ from\ ignition\ sources.\ Wear\ protective\ equipment.\ Keep\ unprotected\ persons\ away.$

Environmental precautions:

procedures

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by

skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

<u>Precautions for safe</u> handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities: Store in a cool, dry place in tightly sealed containers. Store in out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F).

Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure

Chemical name

Exposure limit and source

<u>limits:</u>

Lubricating oils (petroleum), C15-30, hydrotreated

5 mg/m³ (oil mist), OSHA

neutral oil-based*

Exposure controls

Engineering controls: Good general ventilation should be sufficient to control vapors under ambient conditions. Additional ventilation or exhaust

may be required to maintain air concentrations below recommended exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of work period. Product is readily removed from

skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Not available

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / odor: Water white colored lube oil with little or no odor Upper flammability limit: Not available

Lower flammability limit: Not available

Physical state: Vapor pressure: Not available

Odor threshold: Not available Vapor density:

PH: Not available Not available

Melting / freezing point: Not available Relative density: 0.87-0.89 (typical)

and boiling range: Solubility in water: Nil

Flash point:

Initial boiling point

Page 3 of 4 JAX FGG-AW ISO 150, 220, 320, 460

7/30/2015 **Revision Date** 6/1/2015 **Supersedes Date**

496°F (258°C) min., ASTM D 92

Partition coefficient (n-octanol/water):

Not available

Evaporation rate: Not available **Autoignition temperature:**

Not available

Decomposition temperature: Not available

Flammability (solid, gas): Not applicable

Viscosity: Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. **Chemical stability:**

Possibility of

Hazardous reactions are not expected to occur.

hazardous reactions:

Conditions and materials to avoid:

Avoid heat, open flames and oxidizing materials.

<u>Hazardous</u>

decomposition products:

Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards. Inhalation: No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion:

<u>LC</u>50 Components LD₅₀ Component

information: >5000 mg/kg (oral, rat) Lubricating oils (petroleum), C15-30, hydrotreated Not available

neutral oil-based*

Information on physical, chemical and toxicological effects

Symptoms: Please see Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: No further relevant information available.

Carcinogenicity: This product does not contain a carcinogen or potential carcinogen as listed by NTP or IARC.

Numerical measures of Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available

L(E)C₅₀ Component Components

information: Lubricating oils (petroleum), C15-30, hydrotreated

neutral oil-based*

Persistence and

degradability:

Not determined

Bioaccumulative

Not determined

potential:

Not available **Mobility in soil:** Other adverse effects: Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Not available

methods: Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

Page 4 of 4 JAX FGG-AW ISO 150, 220, 320, 460 **Revision Date**

Supersedes Date

7/30/2015 6/1/2015

	Proper Shipping Name:	<u>UN Number:</u>	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302 Extremely Hazardous This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Substances:

None

SARA Section 304 **CERCLA Hazardous** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

None Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals:

None

TSCA Inventory: All components of this material are on the U.S. TSCA Inventory.

U.S. State Regulations

California Proposition

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

65 Status

California None

Proposition 65 Listed Components International Regulations

Canada: All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in

accordance with the hazard criteria of the CPR and this SDS contains all the information required by CPR.

Japan MITI: Not available Not available Australia: Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised: New SDS format 7/30/2015 **Revision Date:**

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.