

Safety Data Sheet



Stock Number: 3139007
Revision Date: 08-15-2023
Replaces: 05-12-2021

TECTYL® 810

1. Identification

Product identifier used on the label: TECTYL® 810
Stock Number: 3139007

Other means of identification:
Synonyms: None
Chemical family: Mixture

Recommended use of the chemical and restrictions on use:
Recommended use: Corrosion Preventative Compound
Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Daubert Chemical Company
4700 S. Central Avenue
Chicago, IL 60638

Telephone number: 1-708-496-7350
E-mail address: SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300 - in USA and Canada
+1-703-527-3887 - outside USA and Canada

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1B

Signal Word: Warning

Hazard Statements: May cause an allergic skin reaction

Unclassified Hazards (HNOC): None Identified

Precautionary Statements:
Prevention: Avoid breathing dust/fume/gas/mist/ vapors/spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response: If on skin: Wash with plenty of water.
Specific treatment: see Section 4 on this SDS.
If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

Hazards not otherwise classified:

No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Benzene, mono-C10-13-alkyl derivatives, distillation residues, sulfonated, sodium salts	None	2156592-65-1	3 - 7
Benzenesulfonic acid sodium salt distillate mixture	None	Proprietary	1 - 5
Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	None	93820-55-4	0.5 - 1.5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.

Eye Contact:

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Ingestion:

Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS.

Most important symptoms/effects, acute and delayed:

May cause an allergic skin reaction

Indication of immediate medical attention and special treatment needed, if necessary:

Consult a physician. Treat symptomatically.

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen containing gases, Hydrocarbons, Hydrogen chloride

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up: Collect and discard in accordance with local, state and national regulations.

7. Handling and storage

Precautions for safe handling: Avoid contacting and avoid breathing the material. Use only in a well-ventilated area. Remove contaminated clothing and wash before reuse. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a cool dry place. Do not store in direct sunlight

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents, Strong acids, Strong alkalies, Aluminum alloys, Organic halides, Nitrogen oxides

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur.

Eye protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Chemically resistant gloves

Other protective equipment: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

General hygiene conditions: Do not use pressure to empty container. Do not enter storage area unless adequately ventilated Use non-sparking tools when opening or closing containers. Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment. Ground and bond containers when transferring material. Remove contaminated clothing and wash before reuse. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid

Color: Amber

Odor: Solvent Odor

Slight

Odor Threshold: No data available

pH: No data available

Melting point/freezing point (°C):

Melting Point (°C): No data available

Freezing point (°C): No data available

Initial boiling point and boiling range (°C): No data available

Flash Point: 325 °F (163 °C)

Evaporation Rate: No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits:

Upper flammability or explosive limits: No data available

Lower flammability or explosive limits: No data available

Vapor pressure: No data available

Vapor density: No data available

Relative density: 0.925

Solubility(ies): Complete; 100%

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature (°C): No data available

Decomposition Temperature (°C): No data available

Viscosity: 56.5 cSt @ 40°C

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

Volatiles, % by weight:	9.30
VOC, Material, lb/gal	0.72
VOC, Material, grams/liter	86.07
VOC minus exempt solvents & water, g/L	86.07

10. Stability and reactivity

Reactivity:	Not expected to be reactive
Chemical stability:	Hazardous polymerization will not occur.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. High temperatures. Contamination.
Incompatible materials:	Strong oxidizing agents, Strong acids, Strong alkalies, Aluminum alloys, Organic halides, Nitrogen oxides
Hazardous decomposition products:	Under normal conditions of use & storage, decomposition and hazardous decomposition products are unlikely., Calcium oxides, Hydrogen chloride

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Eye contact, Skin contact, Inhalation

Symptoms related to the physical, chemical and toxicological characteristics: May cause an allergic skin reaction

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. May cause sensitization.

Inhalation Toxicity: No data available

Eye Contact: Can cause minor irritation, tearing and reddening. Lachrymator.

Sensitization: May cause an allergic skin reaction

Mutagenicity: No data

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

Reproductive and Developmental Toxicity:	No data available
Carcinogenicity:	There are no carcinogenic ingredients present at or over 0.1%.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
No data available			

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: No data

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects (such as hazardous to the ozone layer): No data available

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is not expected to be a hazardous waste.

Dispose of in accordance with Local and National regulations.

14. Transport information

Domestic Ground in containers <= 119 GL	Corrosion preventive/Non-Hazardous
Domestic Ground in containers > 119 GL	Corrosion preventive/Non-Hazardous
Shipping name for Export, Air (IATA)	Corrosion preventive/Non-Hazardous
Shipping name for Export, Sea (IMDG)	Corrosion preventive/Non-Hazardous
Marine Pollutant?	No

15. Regulatory information

International Inventory

Country(s) or region		On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Inventory	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or are unknown from listing on the inventory administered by the governing country(s).

Chemical Name	CAS #	Regulation	Percent
Diethanolamine	111-42-2	Prop. 65 - Cancer	<0.1
1,4-Dioxane	123-91-1	Prop. 65 - Cancer	TRACE
Ethylene oxide	75-21-8	Prop. 65 - Cancer	TRACE
Ethylene oxide	75-21-8	Prop. 65 - Developmental and/or Reproductive	TRACE
Diethanolamine	111-42-2	CERCLA	<0.1 RQ = 100
Ethylene Oxide	75-21-8	CERCLA	TRACE RQ = 10 lbs.
Barium Compounds (N040)	93820-55-4	SARA 313	0.5 - 1.5
Glycol Ethers (N230)	112-34-5	SARA 313	<0.1
Diethanolamine	111-42-2	SARA 313	<0.1
Ethylene Oxide	75-21-8	SARA 313	TRACE

Safety Data Sheet

Product identifier used on the label: TECTYL® 810

Stock Number: 3139007

Revision Date: 08-15-2023

Replaces: 05-12-2021

No SARA 302 EHS-listed chemicals
in this product.

SARA EHS

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 08-15-2023

Revision Number: 24

Reason for revision: Reviewed
Approved: M. Longo

Disclaimer: Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.