SLUDGE SOLVE
SDS Revision Date:





1. Identification

1.1. Product identifier

Product Identity SLUDGE SOLVE

Alternate Names 60-235, 60-245, 60-250, 60-265 SLUDGE SOLVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

Telephone No. 718-445-7900

800-328-0142 Fax: 718-353-5998

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit 2; H315, H227, Causes skin irritation, harmful if swallowed and enters airways, toxic to aquatic H305, H411. life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.









Warning

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area. If dealing with a sizeable spill, and ventilation impractical or impossible, wear a suitable respirator with organic vapor cartridge.

SLUDGE SOLVE SDS Revision Date:

09/13/2019



[Response]:

P312: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
AROMATIC HYDROCARBON SOLVENT CAS#: 64742-94-5	100	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and Eyes

seek medical attention.

Skin Remove contaminated clothing, do not reuse until thoroughly laundered. Wash skin

thoroughly with soap and water or use a recognized skin cleanser.

Ingestion Give plenty of water to dilute product. Do not induce vomiting. Keep victim quiet. If vomiting

occurs, lower victims head below hips to prevent inhalation of vomited material. Seek

medical help promptly.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

SLUDGE SOLVE

SDS Revision Date:

09/13/2019



4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

Inhalation Harmful if inhaled.

5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing. Foam, Dry chemicals, water fog, water spray only to cool and dilute, Product floats on water – water jets spreads flames.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Handling spills – ventilate contaminated area; recover free liquid with suitable pumps, absorb residue on inert sorbent, sweep, shovel and store in containers for recycling or disposal.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from sources of ignition, heat, sunlight and moisture. Although the flash point is high, consider using non – sparking bronzer or aluminum hand tools, explosion proof electrical and mechanical equipment.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Never cut, drill, weld or grind near this container.

Incompatible materials: Oxidizing agents, alkali metals

SLUDGE SOLVE SDS Revision Date:

09/13/2019



See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
64742-94-5	AROMATIC HYDROCARBON SOLVENT	OSHA	50 ppm
		ACGIH	100 ppm
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
64742-94-5		OSHA	Select Carcinogen: No
SOLVENT	NTP	Known: No; Suspected: No	
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls

Respiratory If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

Eyes Safety glasses with side shields, goggles or face shield are recommended.

Skin Wear overalls to keep skin contact to a minimum.

SLUDGE SOLVE

SDS Revision Date:

09/13/2019



Engineering Controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Recommended Decontamination Facilities: Eye bath, washing facilities.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or **Other Work Practices**

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Tannish Liquid Odor Petroleum odor Odor threshold Not Measured Not Measured Hq Melting point / freezing point Not Measured 370 F/188 C Initial boiling point and boiling range **Flash Point** Above 144 F **Evaporation rate (Ether = 1)** Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa) 3mmHg / 0.4kPa (20C/68F)

Vapor Density (air = 1) 4.6

Specific Gravity 0.895 (20/20C)

Solubility in Water 100 milligrams per liter

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperature (ASTM D 2155): NA

Decomposition temperature Not Measured

0.9 centipoise (25C/77F) Viscosity (cSt)

Volatiles (% by weight) NA NA

Octanol/Water Partition Coefficient

9.2. Other information

No other relevant information.

SLUDGE SOLVE SDS Revision Date:



09/13/2019

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
AROMATIC HYDROCARBON SOLVENT (64742-94-5)	7050, 8400/kg (rat), above 5000mg/kg (rat)	>2000 & > 3160mg/kg [Rabbit] no mortality recorded in these tests.	5100 & 11, 400mg/m³ (rat), above 590mg/m³ (rat)	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable

SLUDGE SOLVE SDS Revision Date:



09/13/2019

Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr. LC50 fish,	48 hr. EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
AROMATIC HYDROCARBON SOLVENT (64742-94-5)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

Water insoluble; cannot move readily in soil or water

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface Transportation) Not Applicable IMO / IMDG (Ocean Transportation)

ICAO/IATA

14.1. UN number

cable Not Regulated

Not Regulated

SLUDGE SOLVE

SDS Revision Date: 09/13/2019



14.2. UN proper shipping

Not Regulated

Not Regulated Not Regulated

name

14.3. Transport hazard

DOT Hazard Class: 3,

IMDG: Not Applicable
Sub Class: Not Applicable

class(es)

combustible

Sub Class. Not Applicable

14.4. Packing group

Not Applicable

Not Applicable Not Applicable

Air Class: Not Applicable

14.5. Environmental hazards

IMDG

Marine Pollutant: Yes

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance

All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Pennsylvania RTK Substances (>1%):

16. Other information

SLUDGE SOLVE SDS Revision Date:





The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document