

GASOILA ALL-Purpose, Kolor Kut and Sar-Gel Water Finding Paste

Gasoil All Purpose Water Finding Paste



(A) (B) (C)

Gasoline E-10 E-10 w/
2% water

Kolor Kut Reformulated Water Finding Paste



(A) (B) (C)

Gasoline E-10 E-10 w/
2% water

Sar-Gel Reformulated Water Finding Paste



(A) (B) (C)

Gasoline E-10 E-10 w/
2% water

- Paste Color changes were measured after 10 second immersion in regular gasoline, E10 fuel and E10 fuel with 2% water added by volume.
- Pictures were taken 5 seconds after removing stick from fuel.



GASOILA ALL-Purpose, Kolor Kut and Sar-Gel Water Finding Paste



Gasoil All Purpose Water Finding Paste

(A)	(B)	(C)
E-10 w/ 0.2%	E-10 w/ 0.75%	E-10 w/ 1.5%



Kolor Kut Reformulated Water Finding Paste

(A)	(B)	(C)
E-10 w/ 0.2%	E-10 w/ 0.75%	E-10 w/ 1.5%



Sar-Gel Reformulated Water Finding Paste

(A)	(B)	(C)
E-10 w/ 0.2%	E-10 w/ 0.75%	E-10 w/ 1.5%

- *E10 Fuel with % water added by volume.*
- *10 Second immersion in fuel/water mixtures.*
- *Stick readings performed within 5 seconds of removal from fuel/water mixtures.*