

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

NOX-RUST® 1150

1. Identification

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025

Other means of identification:

Synonyms: None **Chemical family:** Mixture

Recommended use of the chemical and restrictions on use:

Recommended use: **Corrosion Preventive Compound**

Restrictions on use: Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

4700 S. Central Avenue

Daubert Chemical Company

Chicago, IL 60638

Telephone number: 1-708-496-7350 E-mail address: SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Hazardous to the aquatic environment - Acute Category 2

Hazard Statements: Toxic to aquatic life

Molten material can cause thermal burns. When heated, the **Unclassified Hazards (HNOC)::**

vapors/fumes given off may cause respiratory tract irritation.

Precautionary Statements:

Prevention: Avoid release to the environment.

Dispose of contents/container to a suitable disposal site in accordance Disposal:

with local/national/international regulations.

Hazards not otherwise classified: No data available

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
N-(Tallowalkyl)-1,3-	None	61791-55-7	0.5 - 1.5
propanediamines			

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If symptoms are experienced remove source of contamination or move

victim to fresh air and obtain medical advice.

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water and see a physician for removal

of adhering material and treatment of burn.

Ingestion: Do not induce vomiting. Seek medical attention immediately. Provide

medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

See Section 11

Indication of immediate medical

attention and special treatment

needed, if necessary:

Consult a physician. Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire.

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date: 06-06-2019 Replaces:** 05-16-2018

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous combustion products:

Special protective equipment and precautions for fire-fighters:

Oxides of carbon, Formaldehyde, Smoke

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use appropriate

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: No health effects expected from the clean-up of this material, if contact can be avoided. Follow personal protective equipment recommendations

Collect and discard in accordance with local, state and national

found in Section VIII of this SDS

Methods and materials for containment

and cleaning up:

7. Handling and storage

Precautions for safe handling:

Avoid contacting and avoid breathing the material. Use only in a well ventilated area. When heated, the vapor/fumes given off may cause respiratory tract irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions:

Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Do not store in direct

sunlight

regulations.

Materials to Avoid/Chemical

Incompatibility:

Strong alkalies, Strong oxidizing agents, Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Proper ventilation (at a minimum) will be required when handling this

product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable

levels.

Respirator Type(s): NIOSH approved air purifying respirator with organic vapor cartridge.

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect

against thermal burns.

Gloves: Heat insulating chemically resistant gloves

Other protective equipment: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and

other clothing as necessary to protect against thermal burns.

General hygiene conditions: When heated, the vapor/fumes given off may cause respiratory tract

irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should

be followed when handling this material.

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Paste
Color: Blue
Odor: Mild

Odor Threshold: No data available pH: No data available

Melting point/freezing point (°C):

Melting Point (°C):No data availableFreezing point (°C):No data availableInitial boiling point and boiling range (°C):No data availableFlash Point:> 250 °F(121 °C)Evaporation Rate:No data availableFlammability (solid, gas):No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive limits:

Lower flammability or explosive limits:

No data available

No data available

No data available

Vapor density:

No data available

Relative density: 0.901
Solubility(ies): Insoluble

Partition coefficient: n-octanol/water:No data availableAuto-ignition temperature (°C):No data availableDecomposition Temperature (°C):No data available

Viscosity: 168 cP
Volatiles, % by weight: 9.77
VOC, Material, Ib/gal 0.73
VOC, Material, grams/liter 87.8
VOC minus exempt solvents & water, g/l 87.8

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

10. Stability and reactivity

Reactivity: Not expected to be reactive

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid (e.g., staticTemperatures above the high flash point of this combustible material in

combination with sparks, open flames, or other sources of ignition.

Incompatible materials: Strong alkalies, Strong oxidizing agents, Strong acids

Hazardous decomposition products: Under normal conditions of use & storage, decomposition and hazardous

decomposition products are unlikely.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of

exposure (inhalation, ingestion, skin

discharge, shock, or vibration):

and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to

cause permanent damage.

Inhalation Toxicity:No data available

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to

permanently injure eye tissue.

Sensitization: None known

Mutagenicity: No data

Reproductive and Developmental

ropi oddonio diid 2010iop

No data available

Toxicity:

Carcinogenicity: There are no carcinogenic ingredients present at or over 0.1%.

STOT-single exposure: Based on available data, the classification criteria are not met.

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date: 06-06-2019** Replaces: 05-16-2018

Based on available data, the classification criteria are not met. STOT-repeated exposure: **Aspiration hazard:** Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
No data available			

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this			
product present at levels			
greater than or equal to			
0.1% is identified as a			
known or anticipated			
carcinogen.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: No data

Bioaccumulative potential: No data available Mobility in soil: No data available

Other adverse effects (such as

No data available

hazardous to the ozone layer):

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of contents/container to a suitable disposal site in accordance

with local/national/international regulations.

Dispose of in accordance with Local and National regulations.

Waste codes / waste designations:

Not applicable

14. Transport information

Domestic Ground in containers <= 119 GL Corrosion preventive/Non-Hazardous

Domestic Ground in containers > 119 GL Corrosion preventive/Non-Hazardous

Shipping name for Export, Air (IATA) Corrosion preventive/Non-Hazardous

Shipping name for Export, Sea (IMDG) Corrosion preventive/Non-Hazardous

Marine Pollutant? No

15. Regulatory information

Status of formula components on selected national regulatory inventories:

LIST	STATUS
TSCA	All components in this product are on the TSCA Inventory or exempt.
Canadian DSL	One or more chemical substances in this material are on the Canadian NDSL and the remainder are included on the Canadian DSL or are exempt.

Product identifier used on the label: NOX-RUST® 1150

Stock Number: 4812025 **Revision Date:** 06-06-2019 **Replaces:** 05-16-2018

Chemical Name CAS # Regulation Percent

Contains no components from Prop. 65 - Cancer

California Prop. 65 - Cancer list

Contains no components from Prop. 65 -

California Prop. 65 - Developmental and/or

Developmental/Reproductive list Reproductive

No CERCLA-listed chemicals in this CERCLA

product.

No 313-listed chemicals in this SARA 313

product.

No SARA 302 EHS-listed chemicals SARA EHS

in this product.

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 06-06-2019

Revision Number: 15

Reason for revision: Reviewed

Approved: M. Longo

Disclaimer: Although the information contained herein is believed to be reliable, it is

furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and

storage.