Product Name: Product Use: Part#'s:

Phone Number:

Emergency Phone: Date of Preparation:

Manufacture/Supplier:

Purple Power Concentrated Industrial Strength Cleaner/Degreaser
Cleaner
4315PS, 4332PS, 4380DG, 4320P, 4322P, 4325P, 4330, 4340, PP275
Aiken Chemical Company, Inc.
P.O. Box 27147, Greenville, SC 29616
12 Shelter Drive, Greer, SC 29650
(864) 968-1250
1-800-828-1860
1-800-424-9300
March 30, 2015

Section 2: Hazards Identification:



Emergency Overview:			
Warning:	Corrosive Material – May Cause Burns, Irritating to Eyes and Skin.		
Potential Health Effects:	See Section 11 for more information.		
Likely Routes of Exposure:	Eye contact, skin contact, ingesti	on, and inhalation.	
Eye:	May cause burns and Irritating t	o eyes.	
Skin:	May cause burns and Irritating t	o skin.	
Ingestion:	May cause burns and may be ha nausea, or vomiting	mful if swallowed. May cau	se stomach distress,
Inhalation:	May cause respiratory tract irrit	ation. May cause burns	
Chronic Effects:	Prolonged or repeated contact m	nay dry skin and cause irrita	tion.
Signs and symptoms:	Symptoms may include discomfo	ort or pain, excess blinking a	and tear production,
	with marked redness and swelling of the conjunctiva. Symptoms may include		
	redness, edema, drying, de-fatting and cracking of the skin.		
Medical Conditions Aggravated By E	xposure:		
	Because of its irritating properties, product may aggravate preexisting skin, eye, and		
	respiratory conditions.		
Target Organs:	Skin, eyes, gastrointestinal tract,	respiratory system	
Potential Environmental Effects:	s: See Section 12 from more information.		
	on 3: Composition / Information		
Ingredient		CAS#	Percent
Diethylene glycol monobutyl e	ther	112-34-5	1-5
	<u>Section 4: First Aid Me</u>		
Eye Contact:	Remove contact lenses if present		-
	for at least 15 minutes, lifting up		dically to insure complete
	flushing. Seek medical attention	-	
Skin Contact:	Remove contaminated clothing immediately. Thoroughly wash exposed area with soap		
	and water for at least 15 minute		C C
Inhalation:	Remove individual to fresh air. If breathing has stopped, give artificial respiration. Seek		
	medical attention immediately.		
Ingestion:	DO NOT induce vomiting. If cons attention immediately	cious, dilute by giving 2-3 g	lasses of water. Seek medical
General Advice:	In case of accident or if you feel	unwell, seek medical advice	immediately. Show the label

or SDS where possible.

Note to Physicians: Symptoms may not appear immediately. Section 5: Fire Fighting Measures: Flammability: Not Flammable by WHMIS/OSHA Criteria. **Means of Extinguishing:** Suitable extinguishing media: Use water fog, alcohol foam, carbon dioxide or dry chemical. **Unsuitable Extinguishing Media:** Not Available **Products of Combustion:** Not Available **Explosion Data:** Not Available **Sensitivity to Mechanical Impact:** Sensitivity to Static Discharge: Not Available **Protection of Firefighters:** Keep Upwind of fire. Wear full fire-fighting turn-out gear, (full Bunker gear), and respiratory protection (SCBA) Section 6: Accidental Release Measures: **Personal Precautions:** Use personal protection recommended in section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. **Environmental Precautions:** Not Available. **Methods for Containment:** Contain and/or absorb spill with inert material, (e.g. sand, vermiculite), then place in a suitable container. Use appropriate Personal Protective Equipment, (PPE). **Methods for Clean-up:** Scoop up material and place in a disposal container. Provide ventilation. **Other Information:** Not Available. Section 7: Handling and Storage: Avoid contact with skin and eyes. Do not swallow. Do not breathe Handling: gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. Launder contaminated clothing before reuse. When using, do not eat or drink. Wash hands before eating, drinking, or smoking. Do not store in aluminum, copper, or galvanized containers. Separate from acids, Storage: reactive metals, and ammonium salts. **Section 8: Exposure Controls/Personal Protections: Exposure Guidelines:** Ingredient **Exposure Limits**

OSHA-PEL ACGIH-TLV Diethylene glycol monobutyl ether: Not Available 10 ppm **Engineering Controls:** Use Ventilation adequate to keep exposures, (airborne levels of dust, fume, vapor, etc.), below recommended exposure limits. **Personal Protective Equipment: Eve/Face Protection:** Wear eye/face protection. Hand Protection: Wear suitable gloves, (Neoprene, Nitrile Rubber, and Polyethylene). **Skin and Body Protection:** Wear body-covering, impervious clothing, chemical resistant gloves and boots. **General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices.

Section 9: Physical and Chemical Properties:

Appearance and Odor:Purple liquid with Characteristic odorPhysical State:LiquidpH:12.98Freezing Point:~2°C (~28.4°F)Boiling Point:~100°C (~212°F)Flash Point (Method Used):>200°F (PMCC)

Evaporation Rate (Butyl Acetate= 1):
LEL:
UEL:
Vapor Pressure (mm Hg.):
Vapor Density (AIR=1):
Specific Gravity:
Solubility in Water:
Melting Point:
Auto-Ignition Temperature:
Percent Volatile, wt%:
VOC content, wt. %:

<1.0 Not Determined Not Determined Not Determined 1.0197 Complete NA Not Determined Not Determined < 0.2

Section 10: Stability and Reactivity:

Stability:	Stable under normal storage conditions.
Conditions to Avoid:	Mixing or blending with oxidizing or low pH solutions
Incompatibility (Materials to Avoid):	Avoid contact with reactive metals, strong mineral acids and organic acids.
Hazardous Decomposition or Byproducts:	Carbon dioxide, carbon monoxide, various hydrocarbons and can include aldehydes, ketones, organic acids and other organics.
Hazardous Polymenzation:	Will Not Occur.

Section 11: Toxicology Information:

Effects of Acute Exposure

Component Analysis: Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

<u>(Poly (oxy-1, 2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-):</u>

Acute Toxicity/Effects:

Assessment of acute toxicity:	Slightly toxic after single ingestion.
Oral:	LD_{50} judged > 500 mg/kg based on deaths at $200^{mg}/kg$ ($^{0}/_{6}$) and $2000^{mg}/kg$ ($^{2}/_{3}$)
	plus oral LD_{50} data on surrogate chemicals.
Irritation/corrosion:	Causes serious eye damage and causes skin irritation as well as, may cause
	irritations to the respiratory tract.
Skin:	Species: rabbit, Result: Irritation. Method: OECD Guideline 404
Eye:	Species: Rabbit, Results: Risk of serious damage to eyes. Method: OECD
	Guideline 405
Sensitization:	Guinea pig maximization test: Species: guinea pig. Result: Skin sensitizing
	effects were not observed in animal studies. Method: OECD Guideline 406.
Aspiration Hazard:	No aspiration hazard expected.
Chronic Toxicity/Effects:	
Symptoms of Exposure:	The most important known symptoms and effects are described in the labeling,
	(see section 2), and/or in section 11. Further important symptoms and effects
	are so far not known.
<u>Diethylene glycol monobutyl ether:</u>	
Effects, Acute Exposure:	
Skin Contact:	May be slightly irritating
Skin Absorption:	Yes; Toxic effects unlikely by this route unless contact is extensive in area & prolonged
Eye Contact:	Likely to be severely irritating (by animal testing)
Inhalation:	Headache, dizziness, intoxication possible, low vapor pressure makes this
	unlikely.
Ingestion:	Headache, dizziness, intoxication; in severe cases, cyanosis (blue coloring), low
0	blood pressure, & unconsciousness
	A ·

Effects, Chronic Exposure:			
General:	Little to no effect reported		
Sensitizing:	Not a sensitizer in humans or animals		
Carcinogen/Tumorigen:	Not considered a Tumorigen or a carcinogen in humans or animals.		
Reproductive Effect:	No known effect in humans or animals		
Mutagen:	No known effect on humans or animals		
Synergistic With:	Not Known		
LD50 (oral):	4500 to 9625mg/kg (rat), 2400 to 525mg/kg (mouse), 1720 to		
	2310mg/kg (guinea pig), and 2200mg/kg (rabbit)		
LD50 (skin):	2700mg/kg (rabbit)		
LC50 (inhalation):	None – exposure of rats to DB vapor (saturated at 100 °C &		
	cooled to room temp.) for 7hrs caused no mortality or other adverse symptoms		

Section 12: Ecological Information:

Ecotoxicity:	Not Available
Persistence/Degradability:	Not Available
Bioaccumulation/Accumulation:	Not Available
Mobility in Environment:	Not Available

Section 13: Disposal Considerations:

Disposal Instructions: This material must be disposed of in accordance with all local, state, and federal regulations.

Section 14: Transportation Information:

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group
IATA:

Not D.O.T. Regulated N/A N/A N/A N/A

Section 15: Regulatory Information:

<u>Chemical Inventories:</u>	
TSCA:	All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.
SARA Section 311:	Acute
SARA Section 313:	Toxic Release Inventory Chemical: Glycol Ethers

California Safe Drinking Water Enforcement Act (Prop 65):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the stature.

Pennsylvania (Worker and Community Right-to-Know act):

Pennsylvania Special Hazardous Substance List and/or Pennsylvania Environmental Hazardous Substance list:

To the best of our knowledge, this product does not contain chemicals that require reporting under this stature.

New Jersey Right-to-Know Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals that require reporting under this stature

Massachusetts Substance List:

To the best of our knowledge, this product does not contain chemicals that require reporting under this stature.

Section 16: Other Information:				
NFPA	Health Hazard	Flammability	Instability	Physical &Chemical Hazards
	1	0	0	COR
HMIS	Health Hazard	Flammability	Physical Hazard	Personal Protection
	1	0	0	С
Prepared By:		Aiken Chemical Company, Inc. 12 Shelter Drive Greer, SC 29650		
Preparation/Revision Date: Revision Date:		March 30, 2015		

General Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.