### Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Product name	: Shell Turbo Oil T 32	
Product code	: 001A9782	
Manufacturer or supplie Supplier	r's details : Viva Energy Australia Pty Ltd (Formerly: The Shell Company of A (ABN 46 004 610 459) 720 Bourke Street Docklands Victoria 3008 Australia	ustralia)
Telephone Telefax	: +61 (0)3 8823 4444 : +61 (0)3 8823 4800	
Emergency telephone number	: 1800 651 818 (Australia). ; POISOI CENTRE: 13 11 26 (Australia).	NS INFORMATION
Recommended use of the	ne chemical and restrictions on use	
Recommended use	: Turbine oil.	
SECTION 2. HAZARDS IDEN GHS Classification	TIFICATION	
Based on available data t	his substance / mixture does not meet the cl	assification criteria.
GHS label elements		
Hazard pictograms	: No Hazard Symbol required	
Signal word	: No signal word	
Hazard statements	: PHYSICAL HAZARDS: Not classified as a physical hazar HEALTH HAZARDS: Not classified as a health hazard ENVIRONMENTAL HAZARDS:	

Not classified as an environmental hazard under GHS criteria.

### Precautionary statements

**Prevention:** No precautionary phrases.

**Response:** No precautionary phrases.

**Storage:** No precautionary phrases.

#### Disposal:

1

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018
	No precautionary phrases.	

Sensitising components : Contains N-phenyl-1-naphthylamine.May produce an allergic reaction.

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9.
Hazardous components		

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration [%]
N-phenyl-1- naphthylamine	90-30-2	Acute Tox.4; H302 Skin Sens.1B; H317 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	0.1 - 0.24
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

### **SECTION 4. FIRST-AID MEASURES**

General advice	: Not expected to be a health hazard when used under normal conditions.
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
In case of eye contact	: Flush eye with copious quantities of water.

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018
	Remove contact lenses, if prese rinsing. If persistent irritation occurs, obt	
If swallowed	: In general no treatment is neces are swallowed, however, get me	,
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and syn of black pustules and spots on the Ingestion may result in nausea,	he skin of exposed areas.
Protection of first-aiders	: When administering first aid, en- appropriate personal protective incident, injury and surroundings	equipment according to the
Notes to physician	: Treat symptomatically.	

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.		
Unsuitable extinguishing media	: Do not use water in a jet.		
Specific hazards during firefighting	<ul> <li>Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke).</li> <li>Carbon monoxide may be evolved if incomplete combustion occurs.</li> <li>Unidentified organic and inorganic compounds.</li> </ul>		
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).		
Hazchem Code	: NONE		
SECTION 6. ACCIDENTAL RELEASE MEASURES			
Personal precautions,	: Avoid contact with skin and eyes.		

protective equipment and emergency procedures	
Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains,

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018 ditches or rivers by using sand, ea barriers.	Print Date 16.01.2018 arth, or other appropriate
	Local authorities should be advise cannot be contained.	ed if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accide Prevent from spreading by making or other containment material. Reclaim liquid directly or in an ab Soak up residue with an absorber suitable material and dispose of p	g a barrier with sand, earth sorbent. ht such as clay, sand or other
Additional advice	: For guidance on selection of pers see Chapter 8 of this Safety Data For guidance on disposal of spille this Safety Data Sheet.	Sheet.

#### SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.
		· · · · ·

### Shell Turbo Oil T 32

Version 2.3

#### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	AU OEL
Oil mist, mineral	Not Assigned	TWA ((inhalable fraction))	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminant s.
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
	Not Assigned	TWA (Inhalable fraction)	5 mg/m3	ACGIH

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

ne level of protection and types of controls necessary will ary depending upon potential exposure conditions. Select ontrols based on a risk assessment of local circumstances. opropriate measures include: dequate ventilation to control airborne concentrations.

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018
	Where material is heated, sprayed or	mist formed, there is
	greater potential for airborne concentrations to be ge	
	5	5
	General Information:	
	Define procedures for safe handling an controls.	nd maintenance of
	Educate and train workers in the haza	rds and control
	measures relevant to normal activities product.	associated with this
	Ensure appropriate selection, testing a equipment used to control exposure, e equipment, local exhaust ventilation.	
	Drain down system prior to equipment maintenance.	break-in or
	Retain drain downs in sealed storage subsequent recycle.	pending disposal or
	Always observe good personal hygien washing hands after handling the mate drinking, and/or smoking. Routinely w protective equipment to remove conta contaminated clothing and footwear th Practice good housekeeping.	erial and before eating, /ash work clothing and minants. Discard
	r ractice good housekeeping.	

#### Personal protective equipment

#### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours [Type A/Type P boiling point >65°C (149°F)].
Hand protection Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	
	gloves, hands should be washed Application of a non-perfumed me	
	For continuous contact we recom breakthrough time of more than 2 for > 480 minutes where suitable short-term/splash protection we re recognize that suitable gloves off may not be available and in this of time maybe acceptable so long a and replacement regimes are foll a good predictor of glove resistant dependent on the exact composit Glove thickness should be typicat	240 minutes with preference gloves can be identified. For ecommend the same, but ering this level of protection case a lower breakthrough s appropriate maintenance owed. Glove thickness is not ice to a chemical as it is tion of the glove material. Ily greater than 0.35 mm
Eye protection	: If material is handled such that it protective eyewear is recommend	
Skin and body protection	: Skin protection is not ordinarily re work clothes. It is good practice to wear chemic	
Thermal hazards	: Not applicable	

#### Environmental exposure controls

General advice :	Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
------------------	---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	Colourless to pale amber
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	<= -22 °C / <= -8 °FMethod: ISO 3016
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °C / 536 °Festimated value(s)

## Shell Turbo Oil T 32

sion 2.3	Revision Date 15.01.2018	Print Date 16.01.201
Flash point	: >= 215 °C / >= 419 °F Method: ISO 2592	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.840 (15 °C / 59 °F)	
Density	: 840 kg/m3 (15.0 °C / 59.0 °F) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information or	n similar products)
Auto-ignition temperature	: > 320 °C / 608 °F	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 32 mm2/s (40.0 °C / 104.0 °F) Method: ISO 3104	
	5.45 mm2/s (100 °C / 212 °F) Method: ISO 3104	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be	e a static accumulator.
Decomposition temperature	: Data not available	

## Shell Turbo Oil T 32

Version 2.3 Revision Date 15.01.2018 Print Date 16.01			
SECTION 10. STABILITY AND F	REACTIVITY		
Reactivity	: The product does not pose any fur addition to those listed in the follow		
Chemical stability	: Stable.		
Possibility of hazardous reactions	: Reacts with strong oxidising agent	ts.	
Conditions to avoid	: Extremes of temperature and dire	ct sunlight.	
Incompatible materials	: Strong oxidising agents.		
Hazardous decomposition products	: Hazardous decomposition product during normal storage.	ts are not expected to form	

#### SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	<ul> <li>LD50 rat: &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	<ul> <li>LD50 Rabbit: &gt; 5,000 mg/kg</li> <li>Remarks: Low toxicity:</li> <li>Based on available data, the classification criteria are not met.</li> </ul>

#### Skin corrosion/irritation

#### Product:

Remarks: Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Slightly irritating to skin., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not

## Shell Turbo Oil T 32

Version 2.3

Revision Date 15.01.2018

Print Date 16.01.2018

met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Components:**

#### N-phenyl-1-naphthylamine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

#### Chronic toxicity

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### Reproductive toxicity

#### Product:

Remarks: Not a developmental toxicant., Based on available data, the classification criteria are not met., Does not impair fertility.

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

## Shell Turbo Oil T 32

Version 2.3

Revision Date 15.01.2018

Print Date 16.01.2018

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

	Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Eco	otoxicity		
	Product:		
	Toxicity to fish (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
	Toxicity to crustacean	:	Remarks: Data not available

## Shell Turbo Oil T 32

Version 2.3		Revision Date 15.01.2018	Print Date 16.01.2018
(Chronic toxicity) Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available	
<u>Components:</u> N-phenyl-1-naphthylamine :			
M-Factor	:	1	
Persistence and degradability			
Product:			
Biodegradability	:	Remarks: Not readily biodegradable., Not inherently biodegradable, but contains persist in the environment.	
Bioaccumulative potential			
Product:			
Bioaccumulation	:	Remarks: Contains components with the bioaccumulate.	ne potential to
Partition coefficient: n- octanol/water	:	Pow: > 6Remarks: (based on informati	on on similar products)
Mobility in soil			
Product:			
Mobility	:	Remarks: Liquid under most environme enters soil, it will adsorb to soil particles mobile. Remarks: Floats on water.	
Other adverse effects			
no data available <u>Product:</u>			
Additional ecological information	:	Does not have ozone depletion potenti ozone creation potential or global warm is a mixture of non-volatile components released to air in any significant quantit conditions of use. Poorly soluble mixture., Causes physic organisms. Mineral oil is not expected to cause any aquatic organisms at concentrations le	ning potential., Product s, which will not be ties under normal al fouling of aquatic y chronic effects to

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018
	Do not dispose into the environment, in drains or in water courses	
	Waste product should not be allowed to ground water, or be disposed of into th Waste, spills or used product is danger	e environment.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.	
Local legislation Remarks	: Disposal should be in accordance with national, and local laws and regulations	•••

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

ADG Not regulated as a dangerous good

#### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform	:	No poison schedule number allocated
Scheduling of Medicines and		
Poisons		

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared

## Shell Turbo Oil T 32

Version 2.3	Revision Date 15.01.2018	Print Date 16.01.2018		
as not notional model and a finitation for proportion of actatu data shout for Upportation				

as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### Other international regulations

#### The components of this product are reported in the following inventories:

EINECS :	All components listed or polymer exempt.
TSCA :	All components listed.
AICS :	All components listed.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of H-Statements H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. May cause an allergic skin reaction. H317 H373 May cause damage to organs through prolonged or repeated exposure if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity Asp. Tox. Aspiration hazard Skin Sens. Skin sensitisation

STOT RE Specific target organ toxicity - repeated exposure AICS - Australian Inventory of Chemical Substances: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS

## Shell Turbo Oil T 32

Version 2.3Revision Date 15.01.2018Print Date 16.01.2018Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System					
Date of preparation or review	v : 15.01.2018				
Further information					
Training advice	: Provide adequate information, ir operators.	struction and training for			
Other information	: A vertical bar ( ) in the left margi from the previous version.	n indicates an amendment			
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but no sources of information (e.g. toxic Health Services, material supplie IUCLID date base, EC 1272 reg	cological data from Shell ers' data, CONCAWE, EU			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN