

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

TECTYL® 437D

1. Identification

Product identifier used on the label: TECTYL® 437D Stock Number: 3213036

Other means of identification:

Synonyms: None Chemical family: Mixture

Recommended use of the chemical and restrictions on use:

Recommended use: Corrosion Preventive Compound

Restrictions on use:Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

Daubert Chemical Company

importer, or other responsible party:

4700 S. Central Avenue

Chicago, IL 60638

Telephone number: 1-708-496-7350 **E-mail address:** SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300 - in USA and Canada

+1-703-527-3887 - outside USA and Canada

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous in accordance with paragraph (d) of

§1910.1200

Hazard Statements: Not hazardous under OSHA regulations.

Unclassified Hazards (HNOC): Molten material can cause thermal burns. When heated, the

vapors/fumes given off may cause respiratory tract irritation.

Hazards not otherwise classified:No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Sulfonic acids, petroleum, sodium salts	None	68608-26-4	5 - 10

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If symptoms are experienced remove source of contamination or move

victim to fresh air and obtain medical advice.

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water and see a physician for removal

of adhering material and treatment of burn.

Ingestion: Ingestion is not a likely route of entry. If accidentally ingested, do not

induce vomiting and seek medical attention immediately.

Most important symptoms/effects,

acute and delayed:

See Section 11

Indication of immediate medical attention and special treatment

needed, if necessary:

Consult a physician. Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous combustion products: Oxides of carbon, Oxides of nitrogen, Hydrocarbons, Sulfur oxides

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use appropriate

methods for the surrounding fire.

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Collect and discard in accordance with local, state and national regulations.

7. Handling and storage

Precautions for safe handling:

Avoid contacting and avoid breathing the material. Use only in a well-ventilated area. When heated, the vapor/fumes given off may cause respiratory tract irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with molten material.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions:

Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Do not store in direct

sunlight

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents, Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Under normal conditions, a respirator is not normally required. If vapors,

mists or aerosols are generated, wear a NIOSH approved respirator.

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

When handling material that is heated, wear chemically resistant safety

glasses with side shields and a face shield.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect

against thermal burns.

Gloves: Heat insulating chemically resistant gloves

Other protective equipment: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and

other clothing as necessary to protect against thermal burns.

When handling material that is heated, wear chemically resistant safety

glasses with side shields and a face shield.

General hygiene conditions: When heated, the vapor/fumes given off may cause respiratory tract

irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should

be followed when handling this material.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Waxy Solid
Color: Amber

Odor: Petroleum Type

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

Slight

Odor Threshold: No data available pH: No data available

Melting point/freezing point (°C):

Melting Point (°C):

Freezing point (°C):

Initial boiling point and boiling range (°C):

No data available

No data available

No data available

Stash Point:

350 °F (177 °C)

Evaporation Rate: >1 (n-Butyl Acetate=1)
Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive limits: No data available
Lower flammability or explosive limits: No data available
Vapor pressure: < 1 mmHg @ 20°C

Vapor density: >1 (Air=1)
Relative density: 0.92

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature (°C):

No data available

No data available

No data available

Viscosity: 60 cP
Volatiles, % by weight: 0.05
VOC, Material, lb/gal 0
VOC, Material, grams/liter 0
VOC minus exempt solvents & water, g/L 0

10. Stability and reactivity

Reactivity: Not expected to be reactive

Chemical stability: Hazardous polymerization will not occur.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible material in

discharge, shock, or vibration): combination with sparks, open flames, or other sources of ignition.

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 **Revision Date:** 04-03-2023 **Replaces:** 06-28-2022

Incompatible materials: Strong oxidizing agents, Strong acids

Hazardous decomposition products: Under normal conditions of use & storage, decomposition and hazardous

decomposition products are unlikely.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Estimated to be 2.0 - 5.0 g/kg; slightly toxic. Not believed to have any

significant toxicity.

Skin Contact: No data available
Inhalation Toxicity: No data available

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye

contact may result in tearing and reddening, but not likely to

permanently injure eye tissue. Temporary vision impairment (cloudy or

blurred vision) is possible.

Sensitization: None known

Mutagenicity: No data

Reproductive and Developmental

Toxicity:

No data available

Carcinogenicity: There are no carcinogenic ingredients present at or over 0.1%.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
No data available			

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 Revision Date: 04-03-2023 Replaces: 06-28-2022

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this			
product present at levels			
greater than or equal to			
0.1% is identified as a			
known or anticipated			
carcinogen.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: No data

 Bioaccumulative potential:
 No data available

 Mobility in soil:
 No data available

Other adverse effects (such as hazardous to the ozone layer):

No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental regulations.

Dispose of in accordance with Local and National regulations.

14. Transport information

Domestic Ground in containers <= 119 GL	Corrosion preventive/Non-Hazardous
Domestic Ground in containers > 119 GL	Corrosion preventive/Non-Hazardous

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 Revision Date: 04-03-2023 Replaces: 06-28-2022

Shipping name for Export, Air (IATA)	Corrosion preventive/Non-Hazardous
Shipping name for Export, Sea (IMDG)	Corrosion preventive/Non-Hazardous
Marine Pollutant?	No

15. Regulatory information	

International Inventory

Country(s) or region		On inventory (yes/no)*
Australia	Australian Inventory of Chemical	Yes
	Substances (AICS)	
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical	Yes
	Substances in China (IECSC)	
Europe	European Inventory of Existing	Yes
	Commercial Chemical Substances	
	(EINECS)	
Europe	European List of Notified Chemical	No
	Substances (ELINCS)	
Japan	Inventory of Existing and New	Yes
	Chemical Substances (ENCS)	
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippines Inventory of Chemicals	Yes
	and Chemical Substances (PICCS)	
Taiwan	Taiwan Inventory	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	Yes
	Inventory	

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or are unknown from listing on the inventory administered by the governing country(s).

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036 Revision Date: 04-03-2023 Replaces: 06-28-2022

Chemical Name	CAS#	Regulation	Percent
Benzo[j]fluoranthene	205-82-3	Prop. 65 - Cancer	<0.1
Contains no components from California Prop. 65 - Developmental/Reproductive list		Prop. 65 - Developmental and/or Reproductive	
Sodium hydroxide	1310-73-2	CERCLA	TRACE
			RQ = 1000 lbs.
No 313-listed chemicals in this product.		SARA 313	

SARA EHS

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 04-03-2023

Revision Number: 36

No SARA 302 EHS-listed chemicals

in this product.

Reason for revision: Revised

Approved: R. Cosman

Disclaimer: Although the information contained herein is believed to be reliable, it is

furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and

storage.