

Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/2023	Print Date: 04/10/2023
SECTION 1. IDENTIFICATION		
Product name	: Valvoline™ VR1 Racing™ SAE 10W-30 Motor C	il
Product code	: 822388	
Manufacturer or supplier's	details	
Company name of supplier	: Valvoline LLC	
Address	: 100 Valvoline Way Lexington, KY 40509 United States of America (USA)	
Telephone	: 1-800-TEAMVAL (1-800-832-6825)	
E-mail address	: SDS@valvoline.com	
Emergency telephone number	: +1-800-VALVOLINE (+1-800-825-8654)	

## **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.
---------------	---------

Concentration (% w/w)



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/	2023 Print Date: 04/10/2023
DISTILLATES (PETR HYDROTREATED HE PARAFFINIC		>= 70 - < 80
DISTILLATES (PETR HYDROTREATED HE PARAFFINIC		>= 5 - < 10
Distillates (Petroleum) Heavy Paraffinic	, Hydrotreated 64742-54-7	>= 1.5 - < 5
HYDROTREATED LIC PARAFFINIC DISTILL		>= 1.5 - < 5

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	No symptoms known or expected.
Notes to physician	:	No hazards which require special first aid measures.
		Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion	:	carbon dioxide and carbon monoxide



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	R	evision Date: 02/27/2023	Print Date: 04/10/2023
products			
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to circumstances and the surrounding environment.	local
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefigh necessary.	ting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
		• •	concentration	



Version: 2.0

## SAFETY DATA SHEET

Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Print Date: 04/10/2023

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Revision Date: 02/27/2023

## Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Re	vision Date: 02/27/2023	Print Date: 04/10/2023
Melting point/freezing point	:	No data available	
Boiling point/boiling range	:	> 424.9 °F / 218.3 °C (1013 hPa)	
Flash point	:	394 - 480 °F / 201 - 249 °C	
		Method: Cleveland open cup	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Self-ignition	:	No data available	
Upper explosion limit / Upper flammability limit	:	6 %(V) GLP: Calculated Explosive Limit	
Lower explosion limit / Lower flammability limit	:	1 %(V) GLP: Calculated Explosive Limit	
Vapour pressure	:	< 1 mmHg (68.00 °F / 20.00 °C)	
		1.3333333 hPa (68 °F / 20 °C) Calculated Vapor Pressure	
Relative vapour density	:	> 1.000 AIR=1	
Relative density	:	No data available	
Density	:	0.8722 g/cm3 (60.01 °F / 15.56 °C)	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	77 mm2/s (104 °F / 40 °C)	
Oxidizing properties	:	No data available	



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/2023	
SECTION 10. STABILITY AND	REACTIVITY	
Reactivity	: No decomposition if stored and applied as dire	ected.
Chemical stability	: No decomposition if stored and applied as dire	ected.
Possibility of hazardous reactions	: Stable under recommended storage condition No hazards to be specially mentioned.	S.
Conditions to avoid	: excessive heat	
Incompatible materials	: Strong oxidizing agents	
Hazardous decomposition products	: No hazardous decomposition products are known	own.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg

Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg
-----------------------	---------------------------

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
---------------------	---	-----------------------

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

## Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	: Slight, transient irritation
Result	: Slight, transient irritation



Version: 2.0

## SAFETY DATA SHEET

Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Print Date: 04/10/2023

DISTILLATES (PETROLEU	JM), HYDROTREATED HEAVY PARAFFINIC:
Assessment	: Slight, transient irritation
Result	: Slight, transient irritation
Distillates (Petroleum), Hy	drotreated Heavy Paraffinic:
Assessment	: Slight, transient irritation
Result	: Slight, transient irritation
HYDROTREATED LIGHT	PARAFFINIC DISTILLATE:
Assessment	: Slight, transient irritation
Result	: Slight, transient irritation
Serious eye damage/eye i	
Not classified based on ava	ilable information.
<u>Components:</u>	
•	JM), HYDROTREATED HEAVY PARAFFINIC:
Result	: No eye irritation
Assessment	: No eye irritation
DISTILLATES (PETROLEU	JM), HYDROTREATED HEAVY PARAFFINIC:
Result	: No eye irritation
Assessment	: No eye irritation
Distillates (Petroleum), Hy	drotreated Heavy Paraffinic:
Result	: No eye irritation
Assessment	: No eye irritation
HYDROTREATED LIGHT	PARAFFINIC DISTILLATE:
Result	: Slight, transient irritation
Assessment	: Slight, transient irritation
Respiratory or skin sensit	isation
Skin sensitisation	
Not classified based on ava	ilable information.
Respiratory sensitisation	
Not classified based on ava	ilable information.
Germ cell mutagenicity	
Not classified based on ava	ilable information.
Carcinogonicity	

Revision Date: 02/27/2023

## Carcinogenicity

Not classified based on available information.



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

sion: 2.0	Revision Date: 02/2	27/2023	Print Date 04/10/2023
<u>Component</u>	<u>s:</u>		
DISTILLATE	S (PETROLEUM), HYDROTREATEI	D HEAVY PARAFFINIC:	
Carcinogenic Assessment		d on DMSO extract conten 3, Annex VI, Part 3, Note L	, J
DISTILLATE	S (PETROLEUM), HYDROTREATEI	D HEAVY PARAFFINIC:	
Carcinogenic Assessment		d on DMSO extract conten 3, Annex VI, Part 3, Note L	
Distillates (I	Petroleum), Hydrotreated Heavy Pa	raffinic:	
Carcinogenio Assessment		d on DMSO extract conten 3, Annex VI, Part 3, Note L	
HYDROTRE	ATED LIGHT PARAFFINIC DISTILL	ATE:	
Carcinogenic Assessment		d on DMSO extract conten 3, Annex VI, Part 3, Note L	
IARC	No component of this product pres identified as probable, possible or		
OSHA	No component of this product pres on OSHA's list of regulated carcin		or equal to 0.1% is
NTP	No component of this product pres identified as a known or anticipate		or equal to 0.1% is
Reproductiv	e toxicity		
Not classifie	based on available information.		
STOT - sing	le exposure		
Not classifie	I based on available information.		
•	ated exposure		
	based on available information.		
Aspiration t	oxicity I based on available information.		
Component	<u>s:</u>		
	– S (PETROLEUM), HYDROTREATEI	D HEAVY PARAFFINIC:	
	toxicity classification		

May be fatal if swallowed and enters airways.



Valvoline<sup>™</sup> VR1 Racing<sup>™</sup> SAE 10W-30 Motor Oil

Version: 2.0	Re	evision Date: 02/27/2023	Print Date: 04/10/2023
HYDROTREATED LIGHT PA May be fatal if swallowed and			
Further information			
Product:			
Remarks	:	No data available	
SECTION 12. ECOLOGICAL INFO	ORI	MATION	
Ecotoxicity			
Product:			
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information.	
Chronic aquatic toxicity	:	Not classified based on available information.	
Components:			
DISTILLATES (PETROLEUN	1), H	IYDROTREATED HEAVY PARAFFINIC:	
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h	
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 10 mg/l	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Aquatic invertebrates): 10 mg/l	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information.	
Chronic aquatic toxicity	:	Not classified based on available information.	



Valvoline<sup>™</sup> VR1 Racing<sup>™</sup> SAE 10W-30 Motor Oil

sion: 2.0	Revisio	n Date: 02/27/2023	Print Da 04/10/20
DISTILLATES (PETROLEU	I), HYDF	ROTREATED HEAVY PARAFFINIC:	
Ecotoxicology Assessmen			
•••		classified based on available information.	
Chronic aquatic toxicity	: Not	classified based on available information.	
Distillates (Petroleum), Hyd	rotreate	d Heavy Paraffinic:	
Toxicity to fish		i0 (Fish): > 100 mg/l	
,		bosure time: 96 h	
Toxicity to daphnia and other	: ELS	50 (Aquatic invertebrates): > 10,000 mg/l	
aquatic invertebrates		bosure time: 48 h	
Toxicity to algae/aquatic	: ELS	50 (Algae, algal mat (Algae)): > 100 mg/l	
plants		posure time: 72 h	
Toxicity to fish (Chronic	: NO	EC (Fish): 10 mg/l	
toxicity)			
Toxicity to daphnia and other	· NO	EC (Aquatic invertebrates): 10 mg/l	
aquatic invertebrates			
(Chronic toxicity)			
Ecotoxicology Assessmen			
Acute aquatic toxicity		classified based on available information.	
Chronic aquatic toxicity	: Not	classified based on available information.	
HYDROTREATED LIGHT P	RAFFIN	IIC DISTILLATE:	
Ecotoxicology Assessmen			
Acute aquatic toxicity	: Not	classified based on available information.	
Chronic aquatic toxicity	: Not	classified based on available information.	
Persistence and degradabi	ity		
No data available			
Bioaccumulative potential			
Components:			
DISTILLATES (PETROLEU	I), HYDF	ROTREATED HEAVY PARAFFINIC:	
Partition coefficient: n-	: log	Pow: Expected > 7	
octanol/water	-		



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/2023	Print Date: 04/10/2023
<b>Mobility in soil</b> No data available <b>Other adverse effects</b>		
Product:		
Ozone-Depletion Potential	<ul> <li>Regulation: 40 CFR Protection of Environment; Par Protection of Stratospheric Ozone - CAA Section 6 Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as def U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. B).</li> </ul>	02 Class I fined by the
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**49 CFR** Not regulated as a dangerous good

## Special precautions for user

Not applicable



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 02/27/2023

Print Date: 04/10/2023

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: No SARA H	lazards
----------------------	-------------	---------

# SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.


This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

Massachusetts Right To Know		
Distillates (Petroleum), Hydrotreated Heavy Paraffinic HYDROTREATED LIGHT PARAFFINIC DISTILLATE Lubricating oils (petroleum), hydrotreated	64742-54-7 64742-55-8 64742-58-1	
Pennsylvania Right To Know		
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	





rsion: 2.0	Revision Date: 02/27/2023		Print Date 04/10/2023
	PROPRIETARY SUBSTANCE OF LUBRIZOL PV1510 00000280302	Not Assigned	b
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	
	Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	
	HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	
	Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate	2215-35-2	
	Distillates (Petroleum), Solvent-Dewaxed Heavy Paraffinic	64742-65-0	
	DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (<3 % DMSO EXTRACT)	64742-65-0	
Maine Ch	nemicals of High Concern		
	Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	
	Lubricating oils (petroleum), hydrotreated	64742-58-1	
	PROPRIETARY OF LUBRIZOL 7065C	Not Assigned	b
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0	
Vermont	Chemicals of High Concern		
	Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	
	Lubricating oils (petroleum), hydrotreated	64742-58-1	
	PROPRIETARY OF LUBRIZOL 7065C	Not Assigned	b
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0	
Washing	ton Chemicals of High Concern		
	Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	
	Lubricating oils (petroleum), hydrotreated	64742-58-1	
	PROPRIETARY OF LUBRIZOL 7065C	Not Assigned	b
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0	
California	a Permissible Exposure Limits for Chemical Contaminants		
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	
	Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	
	ponents of this product are reported in the following invent	ories:	
TCSI	: Not in compliance with the inventory		
TSCA	: All substances listed as active on the TSCA inventory		
AIIC	: Not in compliance with the inventory		
DSL	: All components of this product are on t	he Canadian [	DSL
DOL			



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/2023         Print Date: 04/10/2023
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

## **TSCA** list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**



NFPA 704:



## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 02/27/2023         Print Date: 04/10/2023
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA OSHA Z-1 / TWA	<ul><li>8-hour, time-weighted average</li><li>8-hour time weighted average</li></ul>

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 02/27/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Valvoline™ VR1 Racing™ SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 02/27/2023

Print Date: 04/10/2023

US / EN

Internal information : R0218838